Samsung Portable SSD T7 Touch

2020 Data Sheet

Revision 1.1



DISCLAIMER

SAMSUNG ELECTRONICS RESERVES THE RIGHT TO CHANGE PRODUCTS, INFORMATION AND SPECIFICATIONS WITHOUT NOTICE.

Products and specifications discussed herein are for reference purposes only. All information discussed herein may change without notice and is provided on an "AS IS" basis, without warranties of any kind. This document and all information discussed herein remain the sole and exclusive property of Samsung Electronics. No license of any patent, copyright, mask work, trademark or any other intellectual property right is granted by one party to the other party under this document, by implication, estoppels or otherwise. Samsung products are not intended for use in life support, critical care, medical, safety equipment, or similar applications where product failure could result in loss of life or personal or physical harm, or any military or defense application, or any governmental procurement to which special terms or provisions may apply. For updates or additional information about Samsung products, contact your nearest Samsung office (www.samsung.com/ssd and www.samsung.com/support). All brand names, trademarks and registered trademarks belong to their respective owners.

COPYRIGHT © 2020

This material is copyrighted by Samsung Electronics. Any unauthorized reproductions, use or disclosure of this material, or any part thereof, is strictly prohibited and is a violation under copyright law.

Introduction

Samsung Portable SSD is a next-generation storage solution. It can transfer files faster and store data safely with solid state drive technology. Its compact and sleek design delivers a sense of durability and trust for data storage needs. Samsung Portable SSD T7 Touch is a superfast external storage device that has convenient data protection with fingerprint recognition and a refined design with motion LED.

Advanced Performance

Samsung Portable SSD T7 Touch uses NVMe to take full advantage of the USB 3.2 Gen2 interface, offering a remarkably fast bandwidth of up to 10Gbps. T7 Touch delivers read/write speeds of up to 1,050/1,000MB/s respectively, which is more than 1.9 times faster than current SATA-based portable SSDs and more than 9.5 times faster than external HDDs.¹

Convenient Security

The T7 Touch offers powerful data protection through Samsung Portable SSD software. In addition to fingerprint recognition, users can conveniently manage access to their T7 Touch using password protection based on AES 256-bit hardware encryption.

Durable Design

The T7 Touch is the next level of fast, safe and stylish external storage. The sleek and slim design of its aluminum metal case along with its compact size offer enhanced durability and mobility. It also withstands drops of up to two meters (6.6 feet)². The T7 Touch integrates the latest thermal management technologies. The Dynamic Thermal Guard technology minimizes overall heat generation, automatically maintaining optimal operating temperatures. In addition, the T7 Touch is protected by a 3-year limited warranty.

¹ Based on internal test results (Read performance)

² The internal free fall shock test was conducted under controlled conditions.

^{*} The NVM Express® design mark is a registered trademark of NVM Express, Inc.

Technical Specifications

| Samsung Portable SSD T7 Touch | | | | | |
|-------------------------------|---|---------------|--|--|--|
| Interface | USB 3.2 Gen2 (10Gbps) | | | | |
| Compatibility | Windows 7 or higher, Mac OS X 10.10 or higher Android Lollipop or higher | | | | |
| Hardware Information | Capacities | | 500GB/1TB/2TB 3 | | |
| | Dimensions | | 85 x 57 x 8.0mm (3.3 x 2.2 x 0.3 inches) | | |
| | Weight | | 58 grams (2.0 oz) 4 | | |
| Performance | Sequential Read | | Up to 1,050 MB/sec ⁵ | | |
| | Sequential Write | | Up to 1,000 MB/sec ⁵ | | |
| Security | Encryption | | AES 256-bit hardware encryption | | |
| | Security | | Password protection (Optional) Fingerprint recognition (Optional) | | |
| | Temperature | Operating | 0°C to 60°C | | |
| | | Non-Operating | -40°C to 85°C | | |
| Reliability | Humidity | Non-Operating | 65°C, 95% | | |
| | Shock | Non-Operating | 1,500G, duration: 0.5ms, 3 axis | | |
| | Vibration | Non-Operating | 10~2,000Hz, 20G | | |
| Certifications | | | CE, BSMI, KC, VCCI, C-tick, FCC, IC, UL, TUV, CB | | |
| RoHS Compliance | | | RoHS 2 | | |
| Warranty | | | Three (3) Year Limited Warranty | | |

PRODUCT LINE-UP

4 Exact weight of product may vary by capacity.



^{3 1} GB=1,000,000,000 bytes, 1 TB=1,000,000,000 bytes. Lower capacity may be demonstrated by your computer due to use of a different measurement standard.

⁵ Max data transfer speed is measured based on Samsung's internal testing standards with the enclosed cable. Performance may vary depending on host configuration, cable and user system environment.

SAMSUNG PROPRIETARY

| Density | Model Name | Model Code | Box Contents | |
|---------|------------|--|---|--|
| 2TB | MU-PC2T0 | MU-PC2T0S/WW | _ | |
| | | MU-PC2T0K/WW | | |
| | | MU-PC2T0S/CN | | |
| | | MU-PC2T0K/CN | | |
| 1TB | MU-PC1T0 | MU-PC1T0S/WW | Samsung Portable SSD T7 Touch | |
| | | MU-PC1T0K/WW | 5 | |
| | | MU-PC1TOS/CN USB Type-C to C, Type-C to A cabl | | |
| | | MU-PC1T0K/CN | Quick Start Guide & Warranty Statement | |
| 500GB | MU-PC500 | MU-PC500S/WW | _ | |
| | | MU-PC500K/WW | | |
| | | MU-PC500S/CN | | |
| | | MU-PC500K/CN |] | |